

SAMSUNG LED

Illuminated



LED STREETLIGHT

Light the path to a brighter future — V-TAC's LED street lights are equipped with premium-quality LEDs from Samsung and high performance drivers from DALI, Inventronics, and MEAN WELL to provide uniform brightness and illumination on highways, streets, tunnels, plazas, industrial facilities, car parks, etc. Includes Class I & Class II Type III-M lenses.

Key Features

- Modern and efficient replacement for traditional streetlights
- Saves 80% on electricity cost
- Low maintenance; longer lifespan
- Weatherproof body IP65/66 sealed optical cavities
- Optimally designed glass lenses to prevent eye strain
- Uniform light distribution maximizes efficiency
- Fully operational, even in extreme weather conditions
- DALI, Inventronics, MEAN WELL drivers

Application

Engineered for streets, public parks, roads & highways, crossroads, tunnels, car parks, industrial facilities, etc.













LED SOLAR STREETLIGHT | Solar Streetlight

- DC:9V, 50W Solar Panel
- CRI: >80
- Lumens: 3000lm
- 6.4V 30000mAh Battery
- Beam Angle: 120°

- IP65 Rating
- Warranty: 5 Years
- Charging Time: 4-6 Hours
- Working Time: 8-10 Hours











Model	SKU	Watts	Lumen	Box Qty
<u>VT-ST303</u>	20341 6400K WHITE	300w	3000	1 pc pcs













LED SOLAR STREETLIGHT | Integrated Solar Panel Street Light

- Charging Time: 4-6 Hours
- Working Time: 8-10 hours in always mode, 12 hours in induction mode
- IP Rating: IP65
- Body Type: Polycrystalline Silicon Panel





Model	SKU	Watts	Solar Panel Watts	Lumen	Dimension	No.of LED	Battery	Box Qty
<u>VT-20201ST</u>	6755 - 4000K DAY WHITE 6756 - 6400K WHITE	200W	DC:6V,33W	Always Mode-1400 Sensor Mode-2300	680×320×50mm	200	LiFePO4-3.2V,30AH	3
<u>VT-30301ST</u>	6757 - 4000K DAY WHITE 6758 - 6400K WHITE	300W	DC:6V,40W	Always Mode-2000 Sensor Mode-3500	900×320×50mm	300	LiFePO4-3.2V,40AH	2
VT-40401ST	6759 - 4000K DAY WHITE 6760 - 6400K WHITE	400W	DC:6V,50W	Always Mode-2200 Sensor Mode-4300	1000×320×50mm	400	LiFePO4-3.2V,60AH	2















LED SOLAR LIGHTS | Solar Garden Light with Sensor

LiFePO4 3.2V 15000 mAh Battery

No. of LED: 252pcs
Detecting Angle: 120°
Sensing Range: <6M

Charging Time: 6-8 HoursWorking Time: 10-12 Hours

IP Rating: IP65Body Type: ABS







Model	SKU	Watts	Lumen	Dimension	Box Qty
<u>VT-45W</u>	5150 - 4000K DAY WHITE 5151 - 6500K WHITE	7.5w	1000	Ø420 mm	5
<u>VT-65W</u>	5152 - 4000K DAY WHITE 5153 - 6500K WHITE	10w	1500		4



Pole for Solar Garden Light

11258

• Size: 3 meter (1000×3pcs)

-	1000	
·	75	0

LED SOLAR LIGHTS | Solar Garden Light with Sensor

LiFePO4 32700, 6.4V 6000mAh Battery

No. of LED: 120pcs
Detecting Angle: 120°
Sensing Range: <8Mtr
Charging Time: 8 Hours

 Working Time: Constant Lighting Mode: 3 nights+ Sensor Mode: 5 nights+

• IP Rating: IP65

Body Type: Aluminium+ABS









Model	SKU	Watts	Lumen	Dimension	Box Qty
<u>VT-130W</u>	5505 - 4000K DAY WHITE 5506 - 6400K WHITE	20w	2000	601.1mm 200mm	4













LED SOLAR LIGHTS | LED Solar Streetlight High Lumen


- 9.6V LiFe P04, 12000mAh Battery
- No. of LED: 90pcs
- Detecting Angle: 120°
- Sensing Range: 8–12m
- Charging Time: 8-10-hour
- Working Time: Min 36 hrs and Max 120 hrs
- IP Rating: IP65
- Body Type: ABS+PC and Aluminium





120 lm/W





Model	SKU	Watts	Lumen	Dimension	Box Qty
<u>VT-ST42</u>	5503 - 4000K DAY WHITE 5504 - 6000K WHITE	40W	4800	289.7×73.6×706.1mm	4

LED Solar Streetlight





- 7.4V Lithium,10800mAh Battery
- No. of LED: 40pcs
- Detecting Angle: 120°Sensing Range: 3-8M
- Charging Time: 6-7 Hours
- Working Time: 2-36 Hours
- Body Type: ABS+PC
- Size:413×232×58mm

Model	SKU	Watts	Lumen	Box Qty
<u>VT-ST15</u>	8549 - 4000K DAY WHITE 8548 - 6000K WHITE	10w	1600	10



LED Solar Streetlight

IP65

RATING

- Li-ion 6.4V/27.5AH Battery
- Charging Time: 4-6 hrs Sunlight Charging
- Working Time: 12-15Hours
- Body Type: Aluminium
- Size:



Model	SKU	Watts	Lumen	Box Qty
<u>VT-ST200</u>	5502 - 4000K DAY WHITE	50W Solar Panel	4000	1













LED STREETLIGHTS | LED Streetlight with Light Sensor

- IP65 Rating
- SMD-Samsung Chip
- 5 Years Warranty
- AC:220-240V, 50Hz
- Body Type: Aluminium



- 100° Beam Angle
- CRI >70
- PF>0.9
- 30,000-hour lifespan























Model	SKU	Watts	Lumen	Box Qty
<u>VT-39ST-S</u>	20430 4000K DAY WHITE 20431 6500K WHITE	30w	3000	pcs








Model	SKU	Watts	Lumen	Box Qty
<u>VT-59ST-S</u>	20432 4000K DAY WHITE 20433 6500K WHITE	50w	5000	pcs








Model	SKU	Watts	Lumen	Box Qty
<u>VT-139ST-S</u>	20434 4000K DAY WHITE 20435 6500K WHITE	100w	11000	pcs







Mod	lel	SKU	Watts	Lumen	Box Qty
VT-	<u>169ST-S</u>	20436 4000K DAY WHITE 20437 6500K WHITE	150w	16500	pcs





LED STREETLIGHTS | LED Streetlights Adjustable

- IP65 Rating.
- SMD-Samsung Chip
- 5 Years Warranty
- AC:220-240V, 50Hz
- Body Type: Aluminium

- 100° Beam Angle
- CRI >70
- PF>0.9
- 30,000-hour lifespan






















m66	
	Box Qty

Model	SKU	Watts	Lumen	Box Qty
<u>VT-39ST</u>	20422 4000K DAY WHITE 20423 6500K WHITE	30w	3000	pcs








Model	SKU	Watts	Lumen	Box Qty
<u>VT-59ST</u>	20424 4000K DAY WHITE 20425 6500K WHITE	50w	5000	pcs








Model	SKU	Watts	Lumen	Box Qty
<u>VT-79ST</u>	20438 4000K DAY WHITE 20439 6500K WHITE	70w	7500	pcs








Model	SKU	Watts	Lumen	Box Qty
<u>VT-139ST</u>	20426 4000K DAY WHITE 20427 6500K WHITE	100w	11000	pcs







Model	SKU	Watts	Lumen	Box Qty
<u>VT-169ST</u>	20428 4000K DAY WHITE 20429 6500K WHITE	150w	16500	pcs





LED STREETLIGHTS | CLASS II, TYPE III-M LENS

The new Class II Type III-M lens from V-TAC offers a wide beam angle of 150×80° — Primarily designed for lighting highways, general parking areas, and other spaces where a widely-lit area is required. Available from 80W to 200W, select models available with DALI drivers.



- AC:175-265V,50HZ
- 30,000-hour lifespan
- 150 × 80° Beam Angle
- CRI: >70
- PF: > 0.9
- Die-cast Aluminium
























Model	SKU	Watts	Lumen	Box Qty
<u>VT-80ST</u>	541 4000K DAY WHITE	80w	10400	1 pcs






Model	SKU	Watts	Lumen	Box Qty
<u>VT-120ST</u>	542 4000K DAY WHITE	120w	15600	1 pcs





Model	SKU	Watts	Lumen	Box Qty
<u>VT-160ST</u>	543 4000K DAY WHITE	160w	20800	1 pcs





Model	SKU	Watts	Lumen	Box Qty
<u>VT-200ST</u>	544 4000K DAY WHITE	200w	26000	1 pcs





LED GARDEN LIGHTS | CLASS II, TYPE III-M LENS

The LED Garden Light series offers our high lumen 50W & 100W upright and suspended lighting for outdoor applications. Equipped with high-quality LEDs from Samsung and drivers from Mean Well, these efficient, energy-saving garden lights are great alternatives to traditional lighting options.

10 KV SURGE PROTECTION

- AC:176-265V,50HZ
- Die-cast Aluminium
- 30,000-hour lifespan
- Beam Angle: 150×80° | 160×100° (Suspended Light)
- Instant start: 0-100% in <1sec
- On/off cycle: >20,000 times
- CRI: >70
- PF: > 0.9
- IK08 rating



















Model	SKU	Watts	Lumen	Box Qty
<u>VT-895</u>	8679 5700K WHITE	50w	6750	1 pcs





Model	SKU	Watts	Lumen	Box Qty
<u>VT-55-1</u>	782 4000K DAY WHITE	50w	6500	1 pcs





Model	SKU	Watts	Lumen	Box Qty
<u>VT-105</u>	783 4000K DAY WHITE	100w	13000	1 pcs





Model	SKU	Watts	Lumen	Box Qty
<u>VT-115ST</u>	545 4000K DAY WHITE	100w	13000	1 pcs






LED STREETLIGHTS | Class I, Inventronics Driver Streetlight

The Class I Type LED streetlight offers a high lumen output and superbly efficient performance, further improved with the industry-leading Inventronics driver. Primarily designed for lighting highways, general parking areas, and other spaces where [wide area lighting/a widely-litarea] is required. Ranges 50W to 150W.

- AC: 90-305V,50Hz
- 30,000-hour lifespan
- 153×70° Beam Angle

- CRI: >70
- PF: > 0.9
- Die-cast Aluminium
























Model	SKU	Watts	Lumen	Box Qty
<u>VT-53ST</u>	953 5700K WHITE	50w	7000	2 pcs





Model	SKU	Watts	Lumen	Box Qty
<u>VT-103ST</u>	954 5700K WHITE	100w	14000	2 pcs





Model	sкu	Watts	Lumen	Box Qty
<u>VT-153ST</u>	955 5700K WHITE	150w	21000	1 pcs





LED STREETLIGHTS | High Lumens

With options ranging from 100W up to 200W, V-TAC's innovative selection of streetlights introduces the new dimmable series with Samsung LEDs and world-renowned Inventronics drivers. Streetlights can be easily tailored for many night lighting needs of different areas and regions.

- AC:200-240V
- Die-cast Aluminium
- 30,000-hour lifespan

- CRI: >70
- PF: > 0.9
- 153×70° Beam Angle



Brighter & energy-efficient 50% better than normal LED






















Model	SKU	Watts	Lumen	Box Qty
<u>VT-102ST</u>	883 4000K DAY WHITE 884 5700K WHITE	100w	14000	1 pcs






Model	SKU	Watts	Lumen	Box Qty
<u>VT-122ST</u>	885 4000K DAY WHITE 886 5700K WHITE	120w	16800	1 pcs





Model	SKU	Watts	Lumen	Box Qty
<u>VT-152ST</u>	887 4000K DAY WHITE 888 5700K WHITE	150w	21000	1 pcs





Model	SKU	Watts	Lumen	Box Qty
<u>VT-202ST</u>	889 4000K DAY WHITE 890 5700K WHITE	200w	28000	1 pcs






LED STREETLIGHTS | Slim Streetlight

The Slim Streetlight series from V-TAC offers a sleeker, leaner design without compromising the high lumen output that V-TAC streetlights are known for. Primarily designed for road lighting in highways, general parking areas, and other spaces where a wide-area lighting is required. Available in 30w to 150w.

- Input AC:120-240V,50/60Hz
- CRI >70
- PF > 0.9

- 30,000-hour lifespan
- 110° Beam Angle
- Material aluminium



















Model	sкu	Watts	Lumen	Box Qty
<u>VT-34ST</u>	956 4000K DAY WHITE 957 6400K WHITE	30w	3600	4 pcs
<u>VT-34ST-N</u>	21956 4000K DAY WHITE 21957 6500K WHITE	30w	4050	4 pcs






Model	SKU	Watts	Lumen	Box Qty
<u>VT-54ST</u>	958 4000K DAY WHITE 959 6400K WHITE	50w	6000	4 pcs
<u>VT-54ST-N</u>	21958 4000K DAY WHITE 21959 6500K WHITE	50w	6850	4 pcs






Model	sku	Watts	Lumen	Box Qty
<u>VT-104ST</u>	960 4000K DAY WHITE 961 6400K WHITE	100w	12000	2 pcs
<u>VT-104ST-N</u>	21960 4000K DAY WHITE 21961 6500K WHITE	100w	13500	2 pcs





Model	sкu	Watts	Lumen	Box Qty
<u>VT-154ST</u>	962 4000K DAY WHITE 963 6400K WHITE	150w	18000	2 pcs
<u>VT-154ST-N</u>	21962 4000K DAY WHITE 21963 6500K WHITE	150w	20300	2 pcs







LED STREETLIGHTS | Streetlight-Grey

Retaining the classic design of the V-TAC streetlight, the grey streetlight series boasts of high-quality LEDs from Samsung with superb energy efficiency. Available in 30W to 150W, and impressive lumen output of up to 18000.

- AC: 175-265V,50Hz
- Die-cast Aluminium
- 30,000-hour lifespan

- 110° Beam Angle
- CRI: >70
- PF: > 0.9



















Model	SKU	Watts	Lumen	Box Qty
VT-30ST	525 4000K DAY WHITE 526 6400K WHITE	30w	3600	4 pcs
<u>VT-30ST-N</u>	21525 4000K DAY WHITE	30w	2810	4 pcs






Model	SKU	Watts	Lumen	Box Qty
VT-50ST	527 4000K DAY WHITE 528 6400K WHITE	50w	6000	4 pcs
<u>VT-50ST-N</u>	21527 4000K DAY WHITE 21528 6500K WHITE	50w	4700	4 pcs






Model	SKU	Watts	Lumen	Box Qty
<u>VT-100ST</u>	529 4000K DAY WHITE 530 6400K WHITE	100w	12000	2 pcs
<u>VT-</u> 100ST-N	21529 4000K DAY WHITE 21530 6500K WHITE	100w	9400	2 pcs





Model	SKU	Watts	Lumen	Box Qty
<u>VT-150ST</u>	531 4000K DAY WHITE 532 6400K WHITE	150w	18000	2 pcs
<u>VT-150ST-N</u>	21531 4000K DAY WHITE	150w	14100	2 pcs







LED STREETLIGHTS

Retaining the classic design of the V-TAC streetlight in Iron Grey finish, this series boasts of high-quality LEDs from Samsung with superb energy efficiency. Available in 30W to 120W, and impressive lumen output of up to 12000

- AC:200-240V
- Die-cast Aluminium
- Beam Angle: 110° | 65×135° (with lens)
- CRI: >70
- PF: > 0.9
- 30,000-hour lifespan















Model	sкu	Watts	Lumen	Box Qty
<u>VT-31ST</u>	537 4000K DAY WHITE 538 6400K WHITE	30w	3000	4 pcs
<u>VT-31ST-N</u>	21537 4000K DAY WHITE 21538 6400K WHITE	30w	2350	4 pcs






Model	sкu	Watts	Lumen	Box Qty
<u>VT-51ST</u>	539 4000K DAY WHITE 540 6400K WHITE	50w	5000	4 pcs
<u>VT-51ST-N</u>	21539 4000K DAY WHITE 21540 6400K WHITE	50w	4200	4 pcs






Model	sкu	Watts	Lumen	Box Qty
<u>VT-101ST</u>	535 4000K DAY WHITE 536 6400K WHITE	100w	10000	2 pcs
<u>VT-101ST-N</u>	21535 4000K DAY WHITE 21536 6400K WHITE	100w	8400	2 pcs






Model	SKU	Watts	Lumen	Box Qty
<u>VT-121ST</u>	533 4000K DAY WHITE 534 6400K WHITE	120w	12000	2 pcs






Model	SKU
<u>VT-795</u>	3624



Compatible with 100W,120W and 150W models, this adapter allows the angle of the streetlight to be adjusted as per client's requirements.



Model	SKU
<u>VT-795-1</u>	3668



Compatible with 30W and 50W models, this adapter allows the angle of the streetlight to be adjusted as per client's requirements.